

kendila

Hive MEDUSA

Linear Flex Series

Datasheet. V00

Architectural Collection

www.kendila.com

Project:
 Specifier:


Type:
 Date:



KEY FEATURES

- Dual-bend design fits flat, curved, and complex surfaces
- Easy field cutting for custom lengths
- Durable, flexible, eco-friendly silicone
- IP67 waterproof for indoor/outdoor use

APPLICATION




Cove Lighting




Perimeter Glow

OPTICAL DISTRIBUTION






PROFILE DIMENSION



AVAILABLE FINISHES



CABLE FEED OPTIONS



BENDING OPTIONS







OVERALL DIMENSIONS

Rear Feed


L: Total length
La: Length of inner light engine
Lb: Luminous length
L1: Increment
N: Multiplier



Side Feed




Bottom Feed






FREE-CUTTING


Standard Efficacy



High Efficacy




BEND & TWIST RADIUS




ACCESSORIES




Bracket & Screw



Aluminium Profile



Bendable Profile



Dual-Bend Plaster Profile

ELECTRICAL

Input Voltage

24VDC

CCT & CRI

2700K, 3000K, 3500K, 4000K, 5000K, 6000K
80+CRI, 90+CRI

Length Specification

Up to 16.4ft (5M)

Ingress Protection

IP67

Safety Information

cULus Listed, CE, RoHS, IP67 (Wet Location), IK08

Power

- Standard: 4.27W/ft
- High Efficacy: 4.27W/ft

Luminous Flux

- Standard: 47lm/ft
- High Efficacy: 94lm/ft

Dimming

0-10 V / 1-10 V / DALI / PWM / CASAMBI



HOW TO SPECIFY

ARC	MHV						
Collection	Product	Configuration	Finish	Cable Feed	Length	CCT & CRI	Mounting Options

ARC Architectural	MHV Medusa Hive	SE Std Efficacy	WH Pure White	SF Side-Feed	XX XX Length	27KS 2700K/80CRI	BKS Bracket & Screw
		HE High Efficacy	BL Deep Black	BF Bottom-Feed		30KS 3000K/80CRI	APR Aluminium Profile
				RF Rear-Feed		35KS 3500K/80CRI	BBK Bendable Bracket
						40KS 4000K/80CRI	PPR Plaster Aluminium Porfile
						50KS 5000K/80CRI	
						60KS 6000K/80CRI	

Replace S with H for 90CRI

TERMS & NOTICE

Kendila reserves the right to change the specification, material and colors at any time without notice. Standard warranty terms and conditions apply.

All dimensions and values on specification sheet are nominal.

- K-SSV00-ARC-MEDUSA-HIVE-EN : October 2025

COMPLIANCE & WARRANTY

