

kendila

# PRAVIA-E

Pendant Series

**Datasheet. V00**

Architectural Collection

[www.kendila.com](http://www.kendila.com)


Project: ..... Type: .....  
 Specifier: ..... Date: .....



## KEY FEATURES

- Dual light output: up and down
- Essential, compact and balanced
- Satin Opal, Rosé Alloy, Oxide Bronze, Gilded Brass finishes
- Manual height adjustment
- Seamless construction, no visible hardware
- Consistent, high-quality LED lighting

## OVERAL DIMENSIONS



### Ingress Protection

IP20 - Indoor Use Only


### Cable Length

Adjustable 300 to 1800mm


### Cable Reeling Method

Manual Free Lift

## APPLICATION



Pendant



Indoor Use

## MECHANICAL

### Installation

Hardwired

### Available Finish Options



White



Cashmere




Rose



Bronze

## OPTICAL DISTRIBUTION





## ELECTRICAL

### Input Voltage

110-120VAC

### Driver Output

36V/1500mA

### Driver

Built-In

### Dimming

TRIAC

### Power

20W

## LIGHTING

### CCT & CRI

2700K, 3000K, 4000K @ 90+CRI

### Light Efficacy

60 lm/W

### Light Emission

Direct (**Direct & Indirect is Optional**)

### Light Distribution

- Direct: 46°
- Indirect: 70°

### Luminous Flux

1200lm

## HOW TO SPECIFY

| ARC        | PRV     |                |        |           |
|------------|---------|----------------|--------|-----------|
| Collection | Product | Light Emission | Finish | CCT & CRI |

|                             |                        |                                |                        |                            |
|-----------------------------|------------------------|--------------------------------|------------------------|----------------------------|
| <b>ARC</b><br>Architectural | <b>PRV</b><br>Pravia E | <b>DR</b><br>Direct            | <b>WHT</b><br>White    | <b>27KH</b><br>2700K/90CRI |
|                             |                        | <b>DI</b><br>Direct & Indirect | <b>BRZ</b><br>Bronze   | <b>30KH</b><br>3000K/90CRI |
|                             |                        |                                | <b>ROS</b><br>Rose     | <b>40KH</b><br>4000K/90CRI |
|                             |                        |                                | <b>CSM</b><br>Cashmere |                            |

## TERMS & NOTICE

Kendila reserves the right to change the specification, material and colors at any time without notice. Standard warranty terms and conditions apply.  
All dimensions and values on specification sheet are nominal.

- K-SSV00-ARC-PRAVIA-E-EN : May 2025