

kendila

Graze MEDUSA

Linear Flex Series

Datasheet. V02

Architectural Collection

www.kendila.com


Project: Type:
 Specifier: Date:




KEY FEATURES

- Dual-bend flexibility for curved surfaces
- High output up to 100 lm/W - 3030 LEDs
- Beam angles: 25°, 30°, 45°, 60°
- IP67 rated, silicone build, impact & weather resistant

APPLICATION












Wall Grazing



Wall Washing


OPTICAL DISTRIBUTION






CABLE FEED OPTIONS

Side Feed




Bottom Feed




OVERALL DIMENSIONS

- L - Total Length
- La - Length of LED Light
- Lb - Illumination Surface Length
- L1 - Increments

Side Feed



Bottom Feed



- Female Plug on both ends as a standard configuration



MECHANICAL

Free-Cutting Lengths

Up to 5M (16.4ft) in increments of :

- 250mm (9.82in) for Standard
- 500mm (19,7in) for DMX WHITE & CCT

Finish



GR - DARK GREY




WH - PURE WHITE

Profile

Light Flexible Silicone Profile

Profile Dimensions



ELECTRICAL

Input Voltage

24VDC

CCT & CRI

2400K, 2700K, 3000K, 3500K, 4000K,
5000K, 6500K @ 80+CRI

Ingress Protection

IP67

Safety Information

cULus Listed, CE, RoHS, IP67 (Wet Location), IK07

Power

5.5W/ft (18W/M)

Luminous Flux

- WHITE: 550lm/ft
- GREY: 490lm/ft

ACCESSORIES



Clip & Screw Bracket



Aluminium Profile



Bendable Bracket



Pivoting Bracket



HOW TO SPECIFY

ARC	MGR						
Collection	Product	Power Feed	Finish	Beam Angle	Length	CCT & CRI	Mounting Options

ARC Architectural	MGR Medusa Graze	SF Side-Feed	WH White	30 30°	XX XX Length	24KS 2400K/80CRI	BKS Bracket & Screw
		BF Bottom-Feed	GR Grey	45 45°		27KS 2700K/80CRI	APR Aluminium Profile
				60 60°		30KS 3000K/80CRI	BBK Bendable Bracket
						35KS 3500K/80CRI	PBK Pivoting Bracket
						40KS 4000K/80CRI	
						50KS 5000K/80CRI	
						65KS 6500K/80CRI	

TERMS & NOTICE

Kendila reserves the right to change the specification, material and colors at any time without notice. Standard warranty terms and conditions apply.

All dimensions and values on specification sheet are nominal.

- K-SSV02-ARC-MEDUSA-GRAZE-EN : April 2025

COMPLIANCE & WARRANTY

