

kendila

ST NEBULA

Table Lamp Series

Datasheet. V00

Selected Collection

www.kendila.com

Project:
Specifier:


Type:
Date:



KEY FEATURES

- Touch-activated, buttonless control
- Molded glass with soft ambient glow
- Compact, minimalist design
- Head Tilt for directed glow
- Battery model coming soon

OVERALL DIMENSIONS



ELECTRICAL

Input Voltage

110-277V (Wall Power Supply Included)

Power

6W

Dimming

TRIAC

Installation

Hardwired

Driver Output

18V/280mA

APPLICATION

- Residential ambient lighting
- Hospitality tables, lounges, and bars
- Reception and lobby illumination
- Ambient lighting for modern interiors

MECHANICAL

Material

Molded Glass

Available Finish Options

Green

White

Orange

Installation

Tabletop, Stem Table Lamp

Ingress Protection

IP20 – Indoor Use Only

LIGHTING

Light Source

LED Light

Luminous Flux

180lm @ 30lm/W

Beam Angle

Uniform 360 Deg Beamless Glow

CCT & CRI

3000K, 90+CRI

Light Distribution

Ambient Light



HOW TO SPECIFY

SLC	NBL	ST		
Collection	Product	Version	CCT & CRI	CCT & CRI

SLC
Selected

NBL
Nebula

ST
Stem Table

GRN
Green

30KH
3000K/90CRI

WHT
White

ORA
Orange

TERMS & NOTICE

Kendila reserves the right to change the specification, material and colors at any time without notice. Standard warranty terms and conditions apply.

All dimensions and values on specification sheet are nominal.

- K-SSV00-SLC-NEBULA-ST-EN : December 2025