

kendila

STEMA-X

Table Lamp Series

Datasheet. V00

Selected Collection

www.kendila.com


Project: Type:
Specifier: Date:



KEY FEATURES

- Highly flexible tilt and rotation
- Offered in several refined finishes to match diverse interior palettes
- Clean, minimalist dome design suitable for residential and commercial settings

OVERAL DIMENSIONS



ELECTRICAL

Input Voltage

12VDC (Wall Power Supply Included)

Power

8W

Dimming

Touchless Dimming

Ingress Protection

IP20 - Indoor Use Only

Installation

Table-Top

APPLICATION





Table Lamp



Indoor Use

MECHANICAL

Material

Aluminum, Stainless Steel

Available Finish Options

Black

White

Wooden Base Essence

Walnut

Cherry

Maple

LIGHTING

Light Source

LED Light Engine

Luminous Flux

400lm

Light Efficacy

50 lm/W

CCT & CRI

3000K, 90+CRI

Beam Angle

36°



HOW TO SPECIFY

SLC	STX			
Collection	Product	Finish	Wooden Base	CCT & CRI

SLC Selected	STX Stema-X	BLK Black	WAL Walnut	30KH 3000K, 90+CRI
		WHT White	CHE Cherry	
			MAP Maple	

TERMS & NOTICE

Kendila reserves the right to change the specification, material and colors at any time without notice. Standard warranty terms and conditions apply.

All dimensions and values on specification sheet are nominal.

- K-SSV00-SLC-STEMA-X-EN : March 2025

COMPLIANCE & WARRANTY

