


The Kalm

Specification Sheet V00



Project: Type: Date:
 Specifier:

The Kalm pendant harmonizes modern design and functionality with a subtle elegance. Crafted from premium materials, its refined silhouette sets it apart as a versatile accessory.

This pendant seamlessly transitions between casual and formal settings, embodying a perfect fusion of style and sophistication.




APPLICATION



Pendant Light

OPTICAL DISTRIBUTION



Height	Center lx	Diameter
1.m	530.08 lx	312.13cm
2.m	132.52 lx	624.26cm
3.m	58.90 lx	936.39cm
4.m	33.13 lx	1248.52cm
5.m	21.20 lx	1560.65cm
6.m	14.72 lx	1872.78cm
7.m	10.82 lx	2184.92cm
8.m	8.28 lx	2497.05cm
9.m	6.54 lx	2809.18cm
10.m	5.30 lx	3121.31cm
11.m	4.38 lx	3433.44cm
12.m	3.68 lx	3745.57cm
13.m	3.14 lx	4057.70cm
14.m	2.70 lx	4369.83cm
15.m	2.36 lx	4681.96cm
16.m	2.07 lx	4994.09cm

PHYSICAL

Material


Recycled PET Felt

Material Thickness

9mm

Installation

Hardwired



ELECTRICAL

Input Voltage

AC120-277V

Color Temperature CCT



Dimming

0-10V Dimming available

Light Source

E26 LED Bulb

LED Version available under Premium Tier

Color Rendering Index CRI



Total Lumens

- 1200 Lumens

AVAILABLE FELT FINISHES



kendila

Specification Sheet V00 - Architectural - The Kalm



sales@kendila.com



www.kendila.com



+1 514 999 8098